





Structure of Screen		Declaration of Stratification Structure	
	<p>White PVC Fiber Glass Black PVC</p>	<p>Cleanable: Yes Fireproof: Yes View Angle: 150° Application: Motorized Screen, Manual Screen, Tripod Screen, Portable Floor Screen</p>	<p>Mildew Resistant: Yes Anti-Static: Yes Gain: 1.1 times</p>

### Product Overview

- Ideal brightness video effect due to high gain quality fiberglass matte white material
- Steel casing with advance technology roller mechanism
- Heavy duty roller and spring
- Reliable locking system ensure smooth presentation
- Easy to assemble, suitable for both wall & ceiling mounted
- With auto-fixed function, can stop at any position
- Black border to gain best video image

MODEL	SCREEN SERIES		FORMAT	VIEWING AREA (mm) Height x Width	BORDER (mm) Side x Top x Bott	CASE SIZE (mm) L x H x W	G.WEIGHT (kg)
	SERIES 2	ELEGANT SERIES					
MW66 (6' x 6')	√	√	1 : 1	1780 x 1780	30 x 160 x 30	1948 x 75 x 75	8.46
MW77 (7' x 7')	√	√	1 : 1	2130 x 2130	30 x 160 x 30	2298 x 75 x 75	10.2
MW68 (6' x 8')	√	√	4 : 3	1830 x 2440	30 x 160 x 30	2608 x 75 x 75	12.1
MW88 (8' x 8')	√	√	1 : 1	2447 x 2440	30 x 160 x 30	2610 x 75 x 75	12.51
MW810 (8' x 10')	√	√	4 : 3	3055 x 2285	30 x 120 x 30	3220 x 75 x 75	14.06
MW1010 (10' x 10')	√	√	1 : 1	3050 x 3045	30 x 160 x 30	3225 x 75 x 75	17.55





Structure of Screen	Declaration of Stratification Structure
 <p>White PVC Fiber Glass Black PVC</p>	<p>Cleanable: Yes Fireproof: Yes View Angle: 150° Application: Motorized Screen, Manual Screen, Tripod Screen, Portable Floor Screen</p> <p>Mildew Resistant: Yes Anti-Static: Yes Gain: 1.1 times</p>

## Product Overview

- Intelligent Series – Advance Tubular Motor
- Series 2 – Durable Synchronous Motor up to 10' x 10'
- Excellent color presentation
- Displaying high resolution of the screen
- Free of curling as it is made of fiberglass matt white fabric material with new manufacturing techniques
- Advance tubular motor driving devices feature smooth and silence operation
- Black border to gain best video image
- Elegant metal housing design ensure distinctive quality
- Screen size limit control switch to meet your requirement
- Inclusive of manual & wireless remote control

MODEL	SCREEN SERIES		FORMAT	VIEWING AREA (mm) Height x Width	BORDER (mm) Side x Top x Bott	CASE SIZE (mm) L x H x W	G.WEIGHT (kg)
	SERIES 2	INTELLIGENT SERIES					
MT66 (6' x 6')	√	√	1 : 1	1780 x 1780	30 x 40 x 30	2065 x 75 x 75	9.4
MT77 (7' x 7')	√	√	1 : 1	2130 x 2130	30 x 40 x 30	2415 x 75 x 75	10.2
MT68 (6' x 8')	√	√	4 : 3	2440 x 1833	30 x 40 x 25	2722 x 75 x 75	12.19
MT88 (8' x 8')	√	√	1 : 1	2445 x 2440	30 x 40 x 30	2728 x 75 x 75	13.5
MT810 (8' x 10')	√	√	4 : 3	3055 x 2288	30 x 40 x 30	3338 x 80 x 80	17.14
MT1010 (10' x 10')	√	√	1 : 1	3045 x 3045	30 x 40 x 30	3349 x 85 x 85	20.94
MT912 (9' x 12')	√	√	4 : 3	3665 x 2746	30 x 30 x 30	3845 x 108 x 98	35.9
MT1212 (12' x 12')	√	√	1 : 1	3665 x 3665	30 x 30 x 30	3903 x 92 x 92	39



Structure of Screen	Declaration of Stratification Structure
<p>White PVC Thick Fiber Glass Black PVC</p>	<p>Cleanable: Yes Fireproof: Yes View Angle: 150° Application: Large Seamless Electric Screen, Large Seamless Tension Electric Screen</p> <p>Mildew Resistant: Yes Anti-Static: Yes Gain: 1.1 times</p>

## Product Overview

### ● Professional Design

Special designed and developed according to the special requests of the big-sized construction projects, like stages and theaters. Our objective is to satisfy the clients prior needs in aspects of design and material.

### ● First-class tubular motor

Projection screen applies with imported tubular motor, providing super-power

### ● Flatness and Non-wrinkles

Large-sized project screen uses the pipes with the caliber from 160mm to 200mm. The super-powered bearing pressure of inner spindle promises the flatness and non-wrinkles of the big-spanned screen.

### ● Convenient Installation and Operation

The installation of the large project electrical screen is very convenient, with two installation methods, wall-hanging or suspended ceiling. Wall and wireless remote control is included.

### ● Application

Applied to the places with enormous space and fixed installation, example big theaters, opera houses control centers etc.

### ● Seamless Fabric Material

For screen size 14' x 14' and 16' x 16'

MODEL	FORMAT	VIEWING AREA (mm) Height x Width	BORDER (mm) Side x Top x Bott	CASE SIZE (mm) L x H x W	G.WEIGHT (kg)
MT1414 (14' x 14')	1 : 1	4260 x 4260	30 x 30 x 30	4505 x 205 x 130	65
MT1616 (16' x 16')	1 : 1	4870 x 4870	30 x 30 x 30	5115 x 205 x 155	105
MT1818 (18' x 18')	1 : 1	5480 x 5480	30 x 30 x 30	5720 x 247 x 190	145
MT1520 (15' x 20')	4 : 3	4570 x 6090	30 x 30 x 30	6426 x 247 x 190	160
MT2020 (20' x 20')	1 : 1	6090 x 6090	30 x 30 x 30	6426 x 247 x 190	168
MT2424 (24' x 24')	1 : 1	7300 x 7300	30 x 30 x 30	7580 x 300 x 230	185



Structure of Screen	Declaration of Stratification Structure
<p>White PVC Fiber Glass Black PVC</p>	<p>Cleanable: Yes Fireproof: Yes View Angle: 150° Application: Motorized Screen, Manual Screen, Tripod Screen, Portable Floor Screen</p> <p>Mildew Resistant: Yes Anti-Static: Yes Gain: 1.1 times</p>

### Product Overview

- Advance Tubular Motor
- Screen with 4 side black borders Top Black masking 360mm
- Excellent color presentation
- Displaying high resolution of the screen
- Free of curling as it is made of fiberglass matt white fabric material with new manufacturing techniques
- Advance tubular motor driving devices feature smooth and silence operation
- Black border to gain best video image
- Elegant metal housing design ensure distinctive quality
- Screen size limit control switch to meet your requirement
- Inclusive of manual & wireless remote control

FORMAT		VIEWING AREA (mm) (Height x Width)	BORDER (mm) (Side x Top x Bott)	CASE SIZE (mm) L x H x W	G.WEIGHT (kg)
Inch					
16 : 9	92	2036 x 1145	40 x 360 x 70	2246 x 75 x 75	11.5
	106	2350 x 1320	40 x 360 x 70	2560 x 75 x 75	13.16
	119	2635 x 1481	40 x 360 x 70	2847 x 75 x 75	16.31
	133	2950 x 1655	40 x 360 x 70	3158 x 75 x 75	18.27




## Product Overview

- Designed for customer who look for very high quality image such as home theatre, scientific research centre and government bureaus.
- A choice of fabric to suit for different applications and customization format and size.
- Exclusively originate asymmetric arc design, combine the modern aesthetic idea and classic European style, both elegant and easy to install.
- The housing is made of special aluminium material after hundred tons of extruded molding, nearly 500kg tension straightening, and over 1000 degree high temperature harden. Non-discoloring and never out of shape after long term use.
- Tension system on both sides can automatically diminish the normal screen of "V" curve, make the screen surface as as a mirror.
- HD fiberglass fabric, surface with special material coating, can effectively solve the problem of light wave, on diffuse reflection principle, so that the projector resolution can be maximized, also improve color saturation and gray level, make image more clearness, fine and smooth.
- Science hang design, convenient to fixed screen on the ceiling or on the wall without dimension positioning again. Simple and firm installation, screen can be moved to left and right to ensure choosing the idea location.

FORMAT	DIAG- ONAL Inch	VIEWING AREA (Height x Width) mm	B3 (mm) UP BORDER	B1 (mm) SIDE BORDER		B2 (mm) BOTTOM BORDER	CASE SIZE (mm)	G.WEIGHT (kg)
				Left	Right			
4 : 3	84	1280 x 1707	50	100	100	60	2100 x 100 x 130	13.5
	100	1524 x 2032	50	100	100	60	2420 x 100 x 130	14.8
	120	1829 x 2438	50	100	100	60	2830 x 100 x 130	17.5
	150	2286 x 3048	50	100	100	60	3440 x 100 x 130	22.5
16 : 9	80	996 x 1771	300	100	100	60	2160 x 100 x 130	14.5
	92	1145 x 2036	300	100	100	60	2430 x 100 x 130	15.5
	100	1245 x 2214	300	100	100	60	2600 x 100 x 130	16.5
	106	1320 x 2346	300	100	100	60	2740 x 100 x 130	18.5
	120	1494 x 2656	300	100	100	60	3050 x 100 x 130	20.5
	133	1656 x 2944	300	100	100	60	3330 x 100 x 130	21.8
2.35 : 1	100	996 x 2341	500	100	100	60	2730 x 100 x 130	15.5
	106	1056 x 2481	500	100	100	60	2870 x 100 x 130	16.8
	120	1195 x 2809	500	100	100	60	3200 x 100 x 130	17.5
	133	1325 x 3113	500	100	100	60	3500 x 100 x 130	18.5



Structure of Screen	Declaration of Stratification Structure	
 <p>White PVC Fiber Glass Black PVC</p>	<p>Cleanable: Yes Fireproof: Yes View Angle: 150° Application: Motorized Screen, Manual Screen, Tripod Screen, Portable Floor Screen</p>	<p>Mildew Resistant: Yes Anti-Static: Yes Gain: 1.1 times</p>

### Product Overview

- Solid durable tripod stand
- Modern design steel casing
- Built-in keystone eliminator ensure perfect video image
- Heavy duty and “big” steel tripod legs
- Height adjustable tripod stand
- Smooth viewing surface matte white material
- Easy to assemble
- Black border to gain best video images

MODEL	FORMAT	VIEWING AREA (mm) (Height x Width)	BORDER (mm) (Side x Top x Bott)	CASE SIZE (mm) L x H x W	G.WEIGHT (kg)
TP66 (6' x 6')	1 : 1	1780 x 1780	30 x 30 x 30	2012 x 195 x 130	9.18
TP77 (7' x 7')	1 : 1	2130 x 2130	30 x 30 x 30	2391 x 195 x 130	12.2
TP88 (8' x 8')	1 : 1	2440 x 2440	30 x 30 x 30	2655 x 195 x 130	12.75
TP810 (8' x 10')	4 : 3	2285 x 3048	30 x 30 x 30	3315 x 195 x 130	16.8



Structure of Screen	Declaration of Stratification Structure
<p>White PVC Fiber Glass Black PVC</p>	<p>Cleanable: Yes Fireproof: Yes View Angle: 150° Application: Motorized Screen, Manual Screen, Tripod Screen, Portable Floor Screen</p> <p>Mildew Resistant: Yes Anti-Static: Yes Gain: 1.1 times</p>

## Product Overview

- Adopt aluminium alloy housing, appearance streamline design, protruding fashion, elegance.
- Simple to use, fast, light hand, stable support.
- Lightweight, easy to carry, very suitable for business demonstration, small discussion.
- The screen with high gain ratio is used to make the picture clearer and the color restoration better.
- Fireproof, mildew-proof, odor-free, flat, non-discoloration, non-deformation and washable etc.
- Meet RoSh standards.

FORMAT		VIEWING AREA (mm) (Height x Width)	CASE SIZE (mm)	PACKAGE SIZE (mm)	G.WEIGHT (kg)
Inch					
4 : 3	60	910 x 1220	1340	1460 x 140 x 170	8.3
	80	1230 x 1630	1630	1820 x 140 x 170	11.5
	100	1520 x 2030	2150	2220 x 140 x 170	13.2
16 : 9	60	750 x 1330	1450	1520 x 140 x 170	8.7
	80	1770 x 900	1890	1960 x 140 x 170	12
	80	1770 x 900	2330	2400 x 140 x 170	13.8



Structure of Screen		Declaration of Stratification Structure	
	White PVC	Cleanable: Yes	Mildew Resistant: Yes
	Black PVC	Fireproof: Yes	Anti-Static: Yes
		View Angle: 150°	Gain: 1.1 times
		Application: Fixed Frame Screen, Tab Tension Screen, Fast Fold Screen	
		Portable Floor Screen	

## Product Overview

- Independent design of semi-arc frame shape, to avoid the vague surrounded during projection process.
- Border optional 60mm, 80mm, 100mm, 150mm, 2mm thickness aluminium alloy after hundreds tons of extruded molding, nearly 500kg tension straightening, and over 1000 degree high temperature harden.
- High Gain Soft Matt White Surface.
- Frame surface with velvet, can choose black, grey, brown.
- All sides are installation by embedded-in-one way to ensure surrounded with uniform stress, can effectively remove the general screen of "v" and water ripples effect, reflect the perfect flat images like a mirror.
- Suitable for different area, such as high-level home theatre, government and professional theatre.

FORMAT	DIAGONAL (Inch)	VIEWING AREA (Height x Width) mm	UP & DOWN FRAME LENGTH (mm)	L & R FRAME LENGTH (mm)	FRAME THICKNESS (mm)	PACKAGE SIZE (mm)	G.WEIGHT (kg)
			Height	Width	Anteroposterior		
4 : 3	84	1280 x 1707	1440	1867	30	1990 x 110 x 220	13.5
	100	1524 x 2032	1684	2192	30	2310 x 110 x 220	15.8
	120	1829 x 2438	1989	2598	30	2720 x 110 x 220	17.5
	150	2286 x 3048	2486	3248	35	3378 x 150 x 220	20.5
	180	2743 x 3658	2943	3858	35	3988 x 150 x 220	28
	200	3048 x 4064	3248	4264	35	4405 x 150 x 220	35
16 : 9	80	996 x 1771	1156	1931	30	2050 x 110 x 220	14.5
	92	1145 x 2036	1305	2196	30	2320 x 110 x 220	16.5
	100	1245 x 2214	1405	2374	30	2490 x 110 x 220	17.5
	106	1320 x 2346	1480	2506	30	2630 x 110 x 220	18.5
	120	1494 x 2656	1654	2816	30	2940 x 110 x 220	21.5
	150	1868 x 3320	2028	3480	35	3620 x 150 x 220	22.5
	180	2241 x 3984	2441	4184	35	4324 x 150 x 220	30
	200	2490 x 4427	2690	4627	35	4767 x 150 x 220	32
16 : 10	80	1077 x 1724	1237	1884	30	2004 x 110 x 220	13.5
	92	1239 x 1982	1399	2142	30	2262 x 110 x 220	17
	100	1347 x 2155	1507	2315	30	2435 x 110 x 220	18
	120	1616 x 2586	1776	2746	30	2866 x 110 x 220	22.5
2.35 : 1	100	996 x 2341	1156	2501	30	2620 x 110 x 220	17
	106	1056 x 2481	1216	2641	30	2760 x 110 x 220	17.5
	120	1195 x 2809	1355	2969	30	3090 x 110 x 220	18.5





## Product Overview

- Own patented technology lock system is distinguish from tradition fast fold screen. Without outstanding part and not effect the appearance of frame as a whole. Its effective to protect the joint position and work durable.
- Screen use 32 x 32mm or 32 x 64mm high strength aluminium alloy which can be foldable and smart structure. Screen is packaged with air explosion-proof equipment. Flight case is made af high strength resist compression vibration-absorptive material. Ensure absolute security during transportation. Also equip with brake pulley convenience to move in any place.
- Humanized support, through the crank can easily adjust the height of entire screen.
- Black border use flexible PVC material, high flexibility, Border and screen can effective combine by crosspointer, have right shrink space, not change with temperature and humidity From -25 to 55. With have no tearing trail between screen and border.
- Front and rear fabric use with USA technology Class A high flexible PVC material, distinguish to traditional soft fabric, when the foldable screen open, the foldable mark can recover to flat in short time. Screen surface with special knurling can move the glare phenomenon effective , meanwhile, maximum improve screen view angle and definition make images more gorgeously and lively.
- Suitable for mobile large-scale, especially large vocal concert, exhibition and mobile cinema.

DIAGONAL	VIEWING AREA (Height x Width)		SCREEN MATERIAL		PACKAGE SIZE (mm)	
	Inch	Inch	mm	Front Fabric		Rear Fabric
4 : 3	72	43 x 57	1090 x 1460	√	√	1350 x 250 x 450
	84	50 x 67	1280 x 1700	√	√	1350 x 250 x 450
	100	60 x 80	1520 x 2032	√	√	1350 x 250 x 450
	120	72 x 96	1830 x 2440	√	√	1350 x 250 x 450
	150	90 x 120	2270 x 3048	√	√	1350 x 300 x 450
	180	108 x 144	2743 x 3657	√	√	1350 x 300 x 450
	200	120 x 160	3048 x 4064	√	√	1350 x 300 x 450
	250	150 x 200	3810 x 5080	√	√	1450 x 450 x 450
	300	180 x 240	4572 x 6096	√	√	1650 x 500 x 500
400	240 x 320	6096 x 8128	√	√	1700 x 500 x 550	



### Product Overview

- Good heavy-duty aluminium case, streamline figure design, fashion and elegance
- Fast, easy and smooth operation provides the ultimate convenience.
- Slim and light figure, easy for carrying on road, especially for business conference, mini size seminars, best choice for commerce specialist.
- The screen surface has the characteristic of flame retardant and mildew resistant. Durable for daily without color fading, deforming and still keeping flat for optimum image quality.
- Especially selecting high power fabric for screen surface, which provides most wonderful effect combined of most high brightness contrast and resolution with the ability of washable character. Smooth surface provides most life-like projection image with optimal vision enjoyment for moderate viewing angles.

FORMAT		VIEWING AREA (mm) Height x Width	CASE SIZE (mm) L x H x W	PACKAGE SIZE (mm) L x H x W	G.WEIGHT (kg)
Inch					
4 : 3	40	610 x 813	875 x 45 x 68	950 x 100 x 100	1.7
	50	762 x 1016	1078 x 45 x 68	1150 x 100 x 100	2.1